IN THE CLAIMS

Please delete all prior claim lists in the application and insert the following claim list.

- 1. (CURRENTLY AMENDED) A chelated complex comprising:

 a bacteriocin selected from the group consisting of nisin, mutacin, subtilin,
 gallidermin, Pep5, epicidin 280, epilancin K7, lactocin S, streptococcin AFF22, lacticin 481, salivaricin A, variacin, cypemycin, mersacidin, and
 ancovenin, actagardine, sublancin, plantaricin C, fusion proteins thereof,
 and mixtures thereof; and
 a detectable label comprising cobalt, wherein the complex is disposed within an
 isolated, in vitro sample to be tested.
- (ORIGINAL) The complex of claim 1, wherein the complex binds to microbial cells selected from the group consisting of gram positive bacteria or mycobacteria.
- (ORIGINAL) The complex of claim 1, wherein the complex binds to gram negative bacteria or fungi.

Claims 4-72 (CANCELED)

- 73. (NEW) A method for conducting a chemiluminescent assay of pathogens comprising:
 - (a) contacting a sample with the complex of claim 1, under conditions and for a time sufficient to allow the complex to bind with pathogens present in the sample;
 - (b) removing any unbound complex; and

Page 2 of 5

- (c) detecting the pathogens by contacting the sample with a peroxide source and an oxidizable substrate.
- 74. (NEW) The method of claim 73, wherein pathogens are isolated from the sample prior to contacting the sample with the complex.
- 75. (NEW) The method of claim 74, wherein pathogens are isolated from the sample using antibody-attached microbeads or phage-attached microbeads.
- 76. (NEW) The method of claim 75, wherein the microbeads comprise a magnetic material.
- 77. (NEW) The method of claim 73, wherein the peroxide source is selected from the group consisting of hydrogen peroxide, benzoyl peroxide and cumyl peroxide.
- 78. (NEW) The method of claim73, wherein the oxidizable substrate is selected from the group consisting of luminol and its derivatives, lucigenin, penicillin, luciferin, and polyaromatic phthalylhydrazides.
- 79. (NEW) The method of claim 73, wherein the pathogens are gram positive bacteria or mycobacteria.
- 80. (NEW) The method of claim 73, wherein the pathogens are gram negative bacteria or fungi.

- 81. (NEW) The method of claim 73, wherein the bacteria are selected from the group consisting of lactococci, leuconostocs, micrococci, pediococci, actinomyces, mycoabacteria, pneumococci, streptococci, staphylococci, aerobic bacilli, anaerobic clostridia, listeria and nocardia.
- 82. (NEW) The method of claim 81, wherein the mycobacteria are selected from the group consisting of mycobacterium tuberculosis, inycobacterium avium, mnycobacterium paratuberculosis, mycobacterium bovis and mycobacterium leprae.
- 83. (NEW) The method of claim 81, wherein the bacteria are selected from the group consisting of Bacillus antliracis, Clostridinin botulinum and Clostridium perfringes.